
PROSTHETIC AND IMPLANT DENTISTRY

Official Publication of Indian Prosthodontic Society Kerala State Branch



QUIZ ON PROSTHODONTICS

Dr. Adhershitha AR







- 1. Sequence of correcting occlusal interference
 - a. Balancing, protrusive and working
 - b. Balancing, working and protrusive
 - c. Protrusive, working and balancing
 - d. Protrusive, balancing, and working
- 2. Guiding plane helps in
 - a. Predictable clasp retention
 - b. Increase resistance towards horizontal tooth movement
 - c. Transit force along long axis of tooth
 - d. Guide key into keyway
- 3. FH plane is named on the basis of
 - a. Name of the scientist
 - b. Name of the institute
 - c. Anthropological congress held in Frankfort
 - d. University of Frankfort
- 4. All are stimulus response SMART materials except
 - a. Zirconia Ceramics
 - b. Composites
 - c. NiTi wires
 - d. Light activated polymers
- 5. Asking the patient to touch the handle of the tray during mandibular border molding is to record
 - a. Genioglossus
 - b. Medial Pterygoid
 - c. Palatoglossus
 - d. Superior constrictor

- 6. TMJ pain and clicking sound after complete denture insertion is due to
 - a. Increased interocclusal space
 - b. Decreased interocclusal space
 - c. Reduced VD
 - d. Discrepancy in Centric Relation
- 7. Reciprocal arm provides indirect retention when
 - a. present anterior to fulcrum line
 - b. present posterior to fulcrum line
 - c. present in infrabulge area
 - d. None of the above
- 8. Removable prosthodontics is given in
 - a. Primary prevention
 - b. Secondary prevention
 - c. Tertiary prevention
 - d. Preventive phase
- The below mentioned dental cements release flouride except
 - a. Silicate
 - b. Glass Ionomer
 - c. zinc silico phosphate
 - d. zinc phosphate
- 10. Height of peri-implant biological width
 - a. 4 to 5.5 mm
 - b. 3 to 3.5 mm
 - c. 4 to 4.5 mm
 - d. 2 to 3.5 mm

Answers 1.b, 2.a, 3.c, 4.d, 5.c, 6.b, 7.a, 8.c, 9.d, 10.c